ESTD Barasa,

## OFFICE OF THE MUNICIPAL COUNCILLORS OF BARASAT RISHI BANKIM CHANDRA CHATTERJEE STREET BARASAT, KOLKATA – 700 124.

Phone:

2552 3211

2562 3535

Fax:

2562 6900

Email: - barasatmunicipality05@gmail.com

Web site: - www.barasatmunicipality.org

07 APR 2025

Memo No- 651 -BM/WD-05/Qtn-1/2025-26

Date: 7th. April 2025

## **QUOTATION NOTICE**

Quotation No. :- BM/PWD/Qtn-1 /25-26

Chairman, Barasat Municipality, invites sealed quotation through off line mode, showing interest of expression from Bonafide, reliable, experienced & resourceful civil contractor, general order suppliers, manufacturer and/or individuals for the following listed items/works mentioned in the enclosed Annexure for obtaining rate for the purpose of preparation of different estimates or direct purchase/execution of work.

The quotation offer should be submitted in the prescribed FORMAT -A, accompanied by duly attested photo copies of **PAN card, GST registration, last year IT return, P-Tax clearance, Trade license is to be produced. Credential certificate** of any value of similar nature of works within last five years should be enclosed for better technical evaluation.

The applicant has to produce the original documents for verification as and when required, failing which offer will be cancelled.

The quotation offers showing expression of interest will be received at the office of the undersigned as per schedule given below and will be opened shortly thereafter on the same day in presence of the participants who like to be present at the time of opening of the quotation. Absence of any participant will not entertain later on to receive any complain regarding the quotation. Rate should be quoted clearly for each and individual items/works mentioned in the annexure. All quantities of items/works mentioned in the annexure are purely approximate which may vary as per requirement.

Quotation submission starting date & time: On 08.04.2025, from 10.00Hrs.

Last date and time for receiving quotation: On 25.042025, up to 3.00 PM

Date and time of opening quotation

: On 25.04.23025, at 3.30 PM

Place of submission quotation

: At P W department of Barasat Municipality.

Quotation will be received at working days at official working period.



27/4

All other details may be obtained from this office as mentioned above within three days and the quotationer may visit the site/spot several times before showing their interest.

Quotation to be submit in Lump-sum excluding GST & Labour welfare cess, but including mobilization /Transportation cost, cost of man & machineries, Labour charge & incidental cost etc. (if any). No further claim and enhancement of quoted rate will be entertained.


No conditional Quotation will be accepted. The undersigned/Authority reserve the right to accept or reject any or all quotations or offer without assigning any reason whatsoever.

Offered rate to be consider for estimation purpose

OR

Supply order / work order may be issued to the successful lowest rate quoter as & when required.

GST & L W cess will be admissible as per prevailing govt. rules and deduction also be made from the bill at the time of payment as per norms.



Chairman Barasat Municipality



## FORMAT-A Form of Quotation

To
The Chairman,
Barasat Municipality,
RBC road, Barasat , Kolkata 700124.

Sub: Submission of Quotation for ....

Ref : Memo No :

Sir, Having examined the quotation documents & after visiting the work site/spot I/We willfully accept all your conditions and offer to execute the works as per quotation notice stated above. I/We also agree to remedy the defects after / during execution of the above work in conformity with the conditions of contract And submitting the quotation as follows.

SL. NO	DESCRIPTION OF ITEM/WORKS	Unit Co.	Quoted rate (in Rs.)	Remarks. If any
	189			
	/6/	ERTH	167	

Please accept my Quotation and Obliged .

Thanking you

1869

Yours Faithfully

(Signature with seal)

Name :(In capital letter)

Address for Communication:

Mobile No:

Mail ID:





## Copy forwarded for necessary information to the:

- 1. Addl.Secretary, UD & MA department Additional Director SUDA , Govt. of West Bhawan, HC Block, Sector-III, Kolkata-700106.
- 2. The joint Secretary, Urban Developmet & Municipal affairs department, Govt. of West Bengal, Nagarayan Bhawan, Kolkata-7000064.
- 3. District Magistrate, North 24 Parganas, Barasat.
- 4. Subdivisional Officer, Barasat, North 24 parganas.
- 5. District Planning Section(DPLO)-North 24 parganas,
- 6. Vice Chairman, Barasat Municipality,
- 7.All C.I.C Barasat Municipality,
- 8.Executive Officer , Barasat Municipality,
- 9. Finance Officer, Barasat Municipality,
- 10. Executive Engineer, 24 Parganas Division, M.E.Dte.7, K.B.Bose Road, Barasat,
- 11. Executive Engineer(Civil) KMDA, Barasat Head Quarter
- 12. Assistant Engineer, Barasat Municipality,
- 13. Members of Tender Committee, Barasat Municipality,
- 14.Office Superintendent, Barasat Municipality.
- 15. Head Clerk, Barasat Municipality,
- 16.Accountant, Barasat Municipality,
- 17.Cashier, Barasat Municipality,
- 18. Receive & Dispatch section, Barasat Municipality,
- 19. Office Notice Board, Barasat Municipality,
- 20. Municipal Website: www.barasatmunicipality.org.
- 21.0 C. I.T. Deptt , Barasat Municipality.
- 22.Bangla Sahayata Kendra (BSK), Barasat Municipality.



Chairman
Barasat Municipality
Chairman
Barasat Municipality

	DADACAT MALAHOLDALATA				
Encl	BARASAT MUNICIPALITY  oser to Memo No : 651 – BM/WD-05/Qtn-1/2025-26 Dated 7th				
	ANNEXURE OF NON SCHEDULE ITEM/W	. April 202	6		
SL.		ORKS			
NO	DESCRIPTION OF ITEM/ WORK	Quantity	Unti	Rate	Amou
	Supplying fitting fixing modern type good Quality Kushion chair made of				
	stainless steel (SS304) Frame, PVC fiber Handel, 12mm water proof		207	CON	
	commercial ply at Back & Seat, Kushion with high quality Foam and finally		MUNICIPA	100	
	cover with multi color .Lather Rexine cloth. And then fixing the chair on		IST E	STD	(3)
	floor with fastener. The item including all kind of hire & labour charges of Men & machineries Incidental Charge, transportation cost-up to delivery at		40		181
1	site in good condition / (Model/Figure to be enclosed with the quotation)	1		1	131
	(i)Low Back Chair with arm (each)		19	69	[3]
	(ii(High Back Chair with arm (each)		GARASAT,	N) 24-PG	
	(i)Low Back Chair with arm	36	anah		
	(ii)High Back Chair with arm	4	each		
	Supplying fitting fixing approved quality multi color floor carpet/Mat and		each		
Н	pasting on moor with good quality adhesive and finishing as non-decrees				
- 1	direction of work in charge with entire satisfaction. The Item including it				
	kind thre charge of Men & Maclaines, Transportation cost up to site				
? L	denvery.				
-	(i)8mm thick Multicolor Lookreative Dry washable floor Carpet	450	Per sq.ft		
	(ii) 4mm thick Multicolor/ single colour Lookreative Dry washable floor			_	
	Carpet  (iii)50mm thick. Multicolor Coire mat.	60	Per sq.ft		
		10	Per sq.ft		
1	Supply & installation of cordless calling bell along with switch buttom at office Table.	2			
1	Supplying & hanging approved quality Lookreative, glossy, Multicolor	2	each		
15	Synthetic curtain for door, window & any opening at inside the office				
14	oblive lialities as per required size including hanging amount is			- 1	
1,	cacquired and infished up to the entire Satisfaction of work in -1	100	Per sq.ft		
(	Measurement of cartain to be consider at streatch condition)				
S	upplying & hanging approved quality matt finished durable picture of				
1-	egolidaly ligure with glossy polished wooden Fomo & wood D				
N	rith approved glass of 4mm thick & hanging with necessary arrangement as				
re	equired.				
(i	Size of wall picture up to 4.00sft				
(i	i)Size of wall picture above 4.00sft up to 12.00sft		Per sq.ft		
12	apply & installation of brass make garden tub for index	30	Per sq.ft		
10	as John & Fight 200m of approved quality and model in the				
	aterials at office chamber.	10	each		
St	applying fitting, fixing Name plate on Door/Board/wall/Table Top etc. with				
1	cessary rittings of approved style/design & color with Earlie 17				
1.0	in things of blass Flate/steel plate/Glass plate/Fiber Dist			- 1	
	of Marga of				
Ir	ansportation Charge incidental charge etc.				
_	Name Plate made of Brass Metal of approved thickness.				
(i)	overs all size 300mm X 150mm				
(ii)	over all size 400mm X 200mm	10	each		
(b)	Name plate made of stainless-steel metal of approved thickness	5	each		
(i)	overs all size 300mm X 150mm				
(ii)	over all size 400mm X 200mm	10	each		
	etant Engineer	5	each		
	cont EIBS lity		1		

Sub-Assistant Engine Sub-Assistant Engine Barasat Municipality

	closer to Memo No : 651 — BM/WD-05/Qtn-1/2025-26 Dated 7th	. April 20	26		
SL	ANNEXURE OF NON SCHEDULE ITEM/W	ORKS			
NC	DESCRIPTION OF ITEM/ WORK	Quantit	y Unti	Rate	A
	(c)Name Plate made of Glass Plate of approved thickness				+
	(i)overs all size 300mm X 150mm	10	each		H
	(ii)over all size 400mm X 200mm	5	each		$\vdash$
	(d)Name Plate made of Fiver Plate of approved thickness				$\vdash$
	(i)overs all size 300mm X 150mm	10	each		H
-	(ii)over all size 400mm X 200mm	5	each		
8	Supplying & Installation approved quality & type Indoor plant (Living tree) at office Chamber (i)Size up to 450m along with 4 to 5 branches and full of Leaves & flowers.	10	each		
9	Supplying & Installation of modern type wall mounted TV Shelf made of Glass of approved thickness including necessary hanging arrangement with necessary fittings and finishing up to the mark and Complete as per Direction. The item including all types of Hire and labour charges of men & machineries, transportation cost etc.	2	each		
	Making Lookreative wall cabinet at site with approved quality 16mm thick commercial water proof ply and 8mm thick clear glass with 4 nos glass Compartment, two leaf glass door, over all cabinet size 1100mm X 2100mm X 450mm including necessary accessories, priming, painting & Locking arrangement etc. The item including all types of Hire and labour charges of men & machineries, transportation cost & incidental cost etc.	2	each		
11	Supplying fitting, fixing Louvers type(3D) eco-friendly water-resistant approved quality prefinished luxury Charcoal panel having size 600m x 2400mm, 6mm thick made of mate finished coal & P.V.C. fiber with Black Golden color as per drawing & direction. The item including all types of Hire and labour charges of men & machineries, transportation cost etc.	36	Per sq.ft		
j 1 1 2 ( f v p 8 e	Repairing & Maintenance of existing F.R.P. Made Model, figure, theme etc. of Animal /Insects /Birds/Human /Legendary Figure. at road side /road junction/park & different places including lifting of all existing F.R.P product manually/ mechanically & repairing with same and homogeneous material in same texture, mending good damages & finishing up to the mark, look like as Original and New Product and placing the same & fixing with supporting frame work at the same places with necessary scraping, priming, painting with multi color as required and superior finishing of all F.R.P. Product as per direction. The item including all types of Hire and labour charges of men amachineries, transportation cost, incidental cost, cost of allied works, nergy/Fuel cost, necessary arrangements.	OF THE	ESTD 1969	THE SOLE WANTED THE STATE OF TH	
-		1	onah		
(1	i)Children play set-5pcs	1	each each set	_	
2 (i	ii)Horse set-2pcs	1	each set		
(1	v)Chimpanzee + Kangaroo set-2pcs	1	each set		
CV	Tiger & Chita set -3pcs		each set		
(1)	i) Raino set (Big & Baby)				_
(V	ii)Vistiwala + Camel set-2 pcs		each set		_
	iii) Avtar set-1 pcs		each set		
I(i)	x) Zebra set-1 pcs	1	each		
	Abstract set- 2 pcs	1	each	1	
(	y thinks set 2 pes				
(	Abstract set- 2 pcs  istant Engineer at Municipality Barasat Mun		each set		

	ncloser to Memo No : 651 — BM/WD-05/Qtn-1/2025-26 Dated	7th. April 2	2026			
	L.   STERE OF NON SCHEDULE ITEM	/WORKS	.020			
N	DESCRIPTION OF ITEM/ WORK				T	
	(XI)Big Birds set- 3pcs	Quan	itity	Unti	Rate	Amo
	(xii)Yoga set-6pcs	1	ea	ch set		
	(xiii)Deer set-7pcs	1		ch set		
	(xiv) Violent CPL set-1 set	1		ch set		
	(xv)Maa kali set-1 pcs	1		h set		
	(xvi) Zebra set-3pcs	1		h set		
	(xvii)Peacock set-1pcs	1		h set		
_	(xviii)Model of Guitarist	1		h set		
	Supplying, fitting & fixing of naming board/Location Boad etc. made of steel letter, M.S. Hollow section, & ACP Board, The L	1		1 set	-	
3	steel letter, M.S. Hollow section, & ACP Board. The board will be fixed at any height on existing Concrete Surface/Brick wall or M.S. Structure at entrance/exit gate, Building, Park & play Ground Road etc. including allied civil works with necessary priming, painting scrapping of existing surface (concrete/Brick/Metal) The subject contain of board should be written with clear visible Bengali/English letter as describe by the office. The size of Naming board will depend on subject contains written with different size steel letter with a suitable Margine/space. The item including the cost of Hire charge and allied /alcinary works if required. But excluding the cost of Board/Frame work. Size of steel letter may vary from 3 inches to 15 inches		ESTD 196	9	R BARATA	
	ACP Board with Frame work by M S hollow section. & necessary fittings.  i)Stainless steel letter(22 gage)  ii)Stainless steel (20 gage)	50	per sq.			
(i	ii)Stainless steel letter(18 gage)	200	per sq inch			
S	upplying fitting new street	800	per sq.			
bo	papplying fitting new street naming board/way directing board/location at street, entrance/ exit gate, Building, parks & play ground etc. The pard made of 50 x 50 MS hollow section and reflecting vinyle letter on CP Board. The Board fixed with 2(two) per 75. The section of the section and reflecting vinyle letter on		inch			
all an wi M. Be of a	length 2.5mtr which grouted in ground average 450mm depth below G.L. d fixed with cement concrete (1:2:4) average 300mm dia & 450mm depth allied civil works & necessary priming & painting on exposed S.Surface. The Subject contain of board should be written all Hire charge of all Men & machineries, transportation cost-Fabrication to incidental cost etc.					
(i)L	Goard size-900mm X 600mm					
211	Board size-900mm X 300mm	10	each			
Met ize con s pe	ply and erection of "FALAK" for inauguration of project / Foundation e laying for different govt. project. The Falak made of Marble slab / al plate /Fiber plate with engraving letter(English/Bengali) of different & color in different places including supporting structure crete/Masonry) & allied civil works with necessary Finishing & painting & direction. Contents/matter of Falak, places of erection & combination as directed by this office.	10	each			

Sub-Assistant Engineer
Sub-Assistant Municipality

Enci	oser to Memo No : 651 - BM/WD-05/Qtn-1/2025-26 Dated 7th.	A = #1 2022			
	ANNEXURE OF NON SCHEDULE ITEM/WC	April 2026	)		
SL.	DESCRIPTION OF ITEM/ WORK	Quantity	Unti	Rate	Amour
15	(a)Size of Falak up to 1'6" x 2'0" with supporting structure of size 2'0"x3'6"				
	(i)On marble slab	10	each		
	(ii) On Metal Plate	10	each		
	(iii) On Fiber Plate	10	each		
	(b)Size of Falak up to 2'0" x 3'0" with supporting structure of size 2'6"x4'0"		Cuch		
	(i)On marble slab	10	each		
	(ii) On Metal Plate	10	each		
	(iii) On Fiber Plate	10	each		
_	Park Item /Rides		Cucii		
16	<b>Doll Sealy Merry Go Round,:</b> Which provide complete enjoyment and fun to the kids. Owing to appealing designs and superior finish, these merry go rounds are preferred all age groups. Specification: Area: 6' Dia, Color: multi color ASPA finish paint on 2 coats of primer.( This Item followed by details specification as follows)	5	each		
17	Double Swing (Heavy Duty): Height: 9.5 ft., length-10', width-5' the chain link should be plastic coated and take the load of 80 kg. The Assy. Of swing has to be heavy duty ball bearing.  Structural parts made of MS pipe and MS hollow section (including cutting, fitting, welding, bolting and smooth grinding etc. complete) installation of ground including civil work for making base and pedestals. Outer diameter of metal parts - 88.0, thickness of Metal parts min. 2.9 mm, seat MOC: FRP, color: multi - color ASPA finish paint on 2 coats of primer.( This Item followed by details specification as follows)	5	each		
8 ff c	Wide Slide: Height: 7 ft., FRP slide length - 10 ft., Area - 8'x16' Structural parts made of Tata pipe and pipes and MS Hollow section (including cutting, ittings, welding, bolting and smooth grinding etc. complete High quality astened complete with supply / fixing and installation to ground including ivil work for making base. Out diameter of metal parts - 60.3, 26.3 MM, nickness: 6mm to 8mm, color: multi - color ASPA finish paint on 2 coats of rimer. (This Item followed by details specification as follows)	5	1.5	DUNC/A/O	25
S 6 M T bo qu in th	latform Marry Ground: DIAMETER: 5 Ft. itting area should be coated with polyester fiber glass reinforced plastic (of mm to 8mm thickness). The machine Assay / joint portion (on which the IGR rotates) should has heavy duty ball bearings. Structural parts made of ata Pipes and MS Hollow section (including cutting, fittings, welding, olting and smooth grinding etc. complete flanges and couplings. High hality fastened complete with supply / fixing and installation to ground cluding civil work for making base. Outer Diameter of metal Parts - 26.9, ickness of Metal Parts - Min. 2.9mm, Sheet - FRP 6mm thick color: multi-lor ASPA paint on 2 coats of primer. (This Item followed by details ecification as follows)	5	THE STATE OF THE S	963 MI. (8) 149	OF WRASS TV-400





_	BARASAT MUNICIPALITY				
End	Closer to Memo No : 651 - BM/WD-05/Qtn-1/2025-26 Dated 7th.	April 202	5		
SI	ANNEXURE OF NON SCHEDULE ITEM AND	ORKS		_	
N	DESCRIPTION OF ITEM/ WORK	Quantity	Unti	Rate	Amou
20	Antique Iron Bench: Length - 6 Ft. Suitable to seat 3 or 4 adults comfortable. The frame should be made of Iron and FRP 6mm different designs permeably garden green color. The sitting area should be contoured designs. High quality fastened complete with supply / fixing and installed to be ground including civil work for making base.MOC: iron, hollow section / FRP batam color: ASPA finish paint on 2 coats of primer. (This Item followed by details specification as follows)		each		
21	Spiral Slide: Height: 8 Ft., FRP Spiral Slide - 16 ft., Area - 12' - 16' Structural parts made of MS Tata pipes and MS hollow section (including cutting, fitting, welding, bolting abd smooth grinding etc. complete) All the structural parts High quality fasted complete with supply / fixing and installation to ground including civil work. Out diameter of metal parts - 60.3,26.9 MM, thickness of metal parts - min. 2.9 mm, FRP thickness:6mm to 8mm, color multi - color ASPA finish paint on 2 coats of primer.( This Item followed by details specification as follows)	5	each		
	<b>Double Arch Swing:</b> Supplying fitting & fixing Double Arch swing height 8'0", width 8'0" made of 8mm thick (min) F.R.P. structure for leg (2x2)=4 pcs 1.5" G.I. pipe and hand (2x2)=4pcs. 1.5" G.I. pipe, chain 8mm Seat F.R.P. with 1"x1" angle fabricated with oil primer and ASPA colour finish bottom –(2'6"x1'6"x1'6") fabricated box made by 1.5" G.i. pipe(This Item followed by details specification as follows)	5	each	113	AL COUNCE
3	Single Sea-Saw Supplying fitting & fixing single Sea-Saw of length 8'-0" width 1'-6', 2.5" & 3/4" G.I. pipe, thick 2.9mm with zinc cromet primer & ASPA automobile color finish, seat made of 8mm thick (min) F.R.P. including civil work & fabrication work.( This Item followed by details specification as follows)	10	each	CCE OF THE	4060
i i s	Double Sea-Saw: Supplying fitting & fixing double Sea-Saw of length 10'- width 1'-6', 2.5" & 3/4" G.I. pipe, thick 2.9mm with zinc cromet primer & ASPA automobile color finish, seat made of 8mm thick (min) F.R.P. necluding civil work & fabrication work (This Item followed by details pecification as follows)	10	each		
S pi in	piral Slide Platfporm: Supplying fitting & fixing spiral slide plat form eight 7'-6", with 2.5" & 3/4" G.i. pipe thick 2.9mm stair – 3" x 1" hollow M pipe, slide area made of 8mm thick (min) F.R.P. with double side finish & gment colour with zinc cromet primer & ASPA automobile colour finish, cluding civil work & fabrication work (This Item followed by details pecification as follows)	10	each		

Sub-Assistant Engineer Barasat Municipality

	oser to Memo No : 651 - BM/WD-05/Otp-1/2025 26				
	BM/WD-05/Qtn-1/2025-26 Data 4 714	April 202	C		
SL.	ANNEXURE OF NON SCHEDULE ITEM/W	ORKS	.0		
NO	DESCRIPTION OF ITEM/ WORK				
	F.R.P Commonly known as Eiber : 6	Quantity	Unti	Rate	Amou
1   1   1   1   1   1   1   1   1   1	F.R.P Commonly known as Fibre reinforced plastic is a Composite materials made of polymer matrix reinforced with fibre (Fibre usually glass, carbon, aramid or basalt) (aromid is the short from of aromatic polyamide) FRP Generally made as the fibre are pulled from a creel through a resin bath and then on through a heated die. The die completes the impregnation of the fibre control the resin content and cures the matarials in to its Final shape as its passes through the die. This cured profile is then automatically cut to lenth. (B)Preparation of F R P play Ride/Park Item  The matarials used in FRP Which Comnouly knows as in the market are (i) Rasin (GP-333) of "Ruia chemicals Ltd" (ii) Gel coat (1st coat) of "Ruia Chemicales Ltd." (iii) chopped strand mat / Fiber glass wool of "Corning INDIA) private Ltd". (iv) Glass Rowing mat (v) Catalyst (ovci-9999C (HSN-2909) OF "Om vinayaka chemicals & Industrials" (vi)Poplt octate (2%) HSN-211 of "Alfa pvt Ltd." (vii) colour with pigments of "Om Vinayaka hemicls & Industries". For making FRP for play Ride /park items, I kg Rasin set to mix 600gm frencholk with 10gm popalt octate (2%), 20gm catalyst, 50-200 gm glass wool. 50gm colour pigmante 200gm gel coat & 300-50gm Rawing net. FRP thickness of play Ride / park items is 8mm to omm for slide, seasaw, and all other items used in the parks & play ground.  Dodel/figure of F.R.P. product of Animal /Insects/Birds/Human.  pply & Installation of different common types Models of oducts of multi color including supporting frame work made with M.S.		A THE WORLD THE	UNCID OFF	Almou
Pip bol inst of r of a etc.	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.				
Pip bol inst of t of a etc.	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.  Model/Figure size up to 2'-0" x 1'-6" x 1'-6"  Model/Figure size up to 3'-0" x 2' 0" x 1'-6"	-	each		
Pip bol inst of t of a etc.	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.  Model/Figure size up to 2'-0" x 1'-6" x 1'-6"  Model/Figure size up to 5'-0" x 2' 0" x 1'-6"  Model / Figure size up to 5'-0" x 2' 0" x 1'-6"	5 6	each		
Pip bol inst of t of a etc.	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.  Model/Figure size up to 2'-0" x 1'-6" x 1'-6"  Model/Figure size up to 5'-0" x 2'-0" x 1'6"  Model / Figure size up to 7'-0" x 2' 0" x 1'6"	5 e			
Pip bol ins of r of a etc.	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.  Model/Figure size up to 2'-0" x 1'-6" x 1'-6"  Model/Figure size up to 5'-0" x 2'-0" x 1'6"  Model / Figure size up to 7'-0" x 2'-0" x 1'6"  Model / Figure size up to 6'-0" x 2'-0" x 1'6"	5 e 5 e 5 e	each		
Pip bol instance of the control of t	ting finishing etc.) with civil work for installation at ground. After tallation of model/figure 2 coats of primer & painting, superior finishing model etc. complete in all respect as per direction. The transportation cost all kinds of materials, equipment, tools & plants, storing of all materials as required are also included in this item of works.  Model/Figure size up to 2'-0" x 1'-6" x 1'-6"  Model/Figure size up to 3'-0"x2'-0"x1'-6"  Model / Figure size up to 7'-0" x 2'-0" x 1'6"  Model / Figure size up to 6'-0" x 2'-0" x 4'6"  Model / Figure size up to 7'-0" x 3'-0" x 4'6"	5 e 5 e	each each		

Jyly nub-Assistant Engineer Barasat Municipality

	oser to Memo No : 651 - BM/WD-05/Qtn-1/2025-26 Dated 7	th Annil	2026			
SL.	ANNEXURE OF NON SCHEDULE ITEM/	WODE O	2026			_
NO.	DESCRIPTION OF ITEM/ WORK	VORKS	,		_	_
	Supply and erection of Size D	Qua	ntity	Unti	Rate	
1	Supply and erection of Sign Board mentioning Project details of different development works at different places. Sign has a local sign beautiful.				-	4
	development works at different places. Sign board made of G.I. sheet / Vin	vI				1
	board with 35mm x 35mm M.S. Hollow section with intermediate stiffener and fixed on existing structure / 2 posternal	-			1	l
	and fixed on existing structure / 2 nos stand made of 50x50x5 M.S. Angle overall height 2.50 mtr. stand grouted in ground	of				l
	overall height 2.50 mtr. stand grouted in ground average 450mm depth belo G.L. fixed with cement concrete (1:2:4) gyernes 200	w				l
	G.L. fixed with cement concrete (1:2:4) average 300 mm dia & 450mm depth with allied civil work & necessary fittings, principals.	th				l
	with allied civil work & necessary fittings, primming & painting on exposed M.S. surface, The subject content of board should be printed by the subject by the subject content of board should be printed by the subject by t					
	M.S. surface, The subject content of board should be written with clear visible letter in Bengali/English by visible 1855.				1 1	
	visible letter in Bengali/English by using different paint as directed by the				1 1	
	office. The Item including the cost of hire charge of all mem & machineries ransportation cost erection cost & Fabrication cost		- 1		1 1	
	ransportation cost erection cost & Fabrication cost/incidental cost etc.	,				
- 1	out cic.	İ			1 1	
27	A)O L CI				1 1	
1	A)G.I. Sheet board of size 900 mm x 600 mm	-				
1	) with stand over ground					Ī
(	i)Without Stand on Existing wall	10		each		
(	3)G.I. Sheet board of size 1200 mm v 000 mm	10		each		
(i	With stand over ground				_	_
(i	)Without Stand on Existing wall	10		each	-	_
((	C)Vinyl Sheet board of size 900 mm x 600 mm	10		each		_
(i	With stand over ground		+	Jacii		
Gi	Without Standar E	10				
Œ	Without Stand on Existing wall			ach		
(1)	Vinyl Sheet board of size 1200 mm x 900 mm	10	e	ach		
(1)	with stand over ground					
(11)	Without Stand on Existing wall	10	e	ach		_
Su	pply & Installation of different Li	10	e	ach		
fig	ure made of approved quality F.R.P. products of multi color including					
sur	pporting frame work made with M.S. Pipe / Hollow section of approved exhauss, (including cutting welding holding from the control of approved exhauss).			- 1		
thic	ckness, (including cutting, welding, bolting finishing etc.) with civil work					
for	installation at ground. After installation of model/figure 2 coats of primer		( ON	COUNCY		
& F	ainting, superior finishing of model etc. complete in all respect as per	-	13/2	STD	98	
dire	ction. The transportation cost of the complete in all respect as per	//	1	4	131	
& p	lants, storing of all materials etc. as required are also included in this item	1		100	a   E	
of v	orks. Picture of model with at the second are also included in this item		11 6		/非//	
moc	el/figure it should be approved by the office. Before supply of	1		1939	13/	
exta	el/figure it should be approved by the official/authority Final up to the		X80	RASAT, NO		
(i)St	anding Model/Figure					
size	up to 6'-0" x 2'-0" x 1'-6" with top cover					
(ii) S	tanding Model/Figure	2	eac	h		
size	up to 7'-0" x 2'-0" x 1'-6" with top cover					
(iii) S	Standing Model/Figure	2	eacl	h		
size t	up to 8'-0" x 2'-6" x 1'-6" with top cover			_	-	_
1. 1. 10	ting Model/Floure	2	eacl	1		
size u	p to 3'-0"x2'-0"x1'-6" with ton				+-	_
1 7 1011	HIII VIONEL/HIGHTON	2	each	. 1		
size u	p to 4'-0"x2'-6"x1'-6" with top cover					
(vi)Si	ting Model/Figure	2	each			
size u	ting Model/Figure  to 5'-0'x3'-0"x2'-0" with top cover  tingline  to 5'-0'x3'-0"x2'-0" with top cover  tingline  to paire  to					_
3	nginestro o A2 -0 With top cover	2	each			
tant	ingines with top cover ficipality					
Mun	70.2		(	1		
V	7			July 1		
			- $Ch$	airman		

Enc	loser to Memo No. (C)					
LIIC	BM/WD-05/Qtn-1/2025-26 Detail 711	h Anuil	2026			
SL	ANNEVLIDE OF MONTH	VODE	2026			
NC	DESCRIPTION OF ITEM/ WORK	VORKS	· ·			
	Sculpture/Architectural 1 : 27	Qua	ntity	Unti	Rate	Amo
	Sculpture/Architectural design of F.R.P. product.	+	-			7 11110
	Supply & Installation of different Sculpture / Architectural design made of F.R.P. products (approved quality & design) at 1999.	1				
	F.R.P. products (approved quality & design) at different location at any	1			1 1	V
	hire charge of all men and machinesis. Let us etc on existing base including					
29	charge if necessary including cost of all				1 1	
4)	mending good damages, finishing, painting / varnishing etc. complete in all				1 1	
	respect as directed and also including the cost of staging/hire charge of				1 1	
	ladder if required.				1 1	
	(i)Width of sculpture/ design up to 6"				1 1	
	(II)(I) Width of sculpture/design	100		rft.		_
	above 6" up to 3'0"	100		207.06		
	Supplying, fitting & fixing naming board/Location Boad etc. made of brass letter of different sizes	100	1	oer sft.		
- 1	letter of different sizes					
	On wooden board made of 20mm thick commercial water prof ply base,		- 1			
	75mm wide 40mm thick Sal wood frame & teak wood bead.					
1	8-gauge Stainless Steel Motel D.			- 1		
0	8-gauge Stainless Steel Metal Board with supporting frame work			- 1		
3	mm thick Fiber board with supporting frame work.				1	
	The could will be lixed at any height		Maria Maria	COUNCI		
W	rall /timber wall at office Building premises, including allied civil works	9	1/	STD	800	
W	ith necessary scrapping, priming, painting varnishing of board as directed.	1	HE	M <sub>c</sub>	) I	
I.	he subject contain of board should be written with clear visible	1		00		
		1	( P	0000	151	
I SII	ill depend on subject contains written with different size of Naming board itable Margine/space. The item including the analysis of Naming board.		VOX.	750		
&	itable Margine/space. The item including the cost of Hire charges of men machineries, transportation cost-Fabrication/creation.		1	MASAY.(1)		
/al	machineries, transportation cost-Fabrication/erection charge and allied				- 1	
Siz	cinary works if required. But excluding the cost of Board/Frame work.					
	ze of Bruss letter may vary from 1.5 inches to 3 inches					
(A	OBRUSS LETTER		1			
(i)	4mm thick Bruss letter			_		
100			-			
(B)	BOARD	1800	per			
(i) v	wooden Board with frame work		inc	311		_
(ii)1	8-gauge Stainless Steel Metal Poord 111.0	20	per so	1 1	-	
().	The state of the s		P-01 20	1. 11		
(iii)	3mm thick Fiber board with supporting frame work.	20	per so	ı ft		

Sub-Assistant Engineer
Barasat Municipality